



**ООО «КОМПАНИЯ САВИ»
SAVICo. LLC**

Kaspiyskay St. 2, 49000 Dnipro, Ukraine
s/a UA253005280000026006455064686
withOTPBank, bank code 300528, Kyiv
Company number 42538486, TIN 425384804618

Respectable partners!

We would like to inform you that a new mining equipment manufacturing enterprise that specializes in mining tools under the SAVI trademark has been started in Ukraine.



The enterprise has a closed-loop structure of production. The absence of outsourcing operations eliminates all additional risks thereby ensuring stability of our company performance.

A high level of organization of the technological and production processes has been achieved by reducing the human factor influence, both at the manufacturing and quality control stages. The responsibility is assigned to precision equipment, which ensures consistency of the product quality.


The enterprise has a modern heat treatment workshop equipped with special means for creating and regulating protective environment in an automatic mode, which enables precision carbonization of parts. The machining workshop is equipped with automatic control systems to ensure stable results within preset parameters.

Employees of our company are committed to their work and treat customers with respect.



Our company offers you cooperation in purchasing tools for drilling boreholes and wells for extracting various minerals (iron ore, granite, coal, etc.), namely drill bits 32, 36, 41, 43 mm in diameter, drill bits for DTH hammers 90-105, 110, 152 mm in diameter with various types of connection, such as bayonet, CIR90, COP44, COP54, QL50.



S.25.7T.S.41N.70.40.C




Top hammer drilling tools:



S.32R.S.45N.90.40.C

- S – trademark
- diameter and type of thread (32 mm - Rope type)
- shape of shank (S-straight, R- retract)
- body diameter (43/45/51 mm; N-body type)
- number of inserts (7 pcs.)
- design
- angle of inclination of peripheral inserts (30 ° /35 ° /40°)
- shape of inserts (C –cone-shaped)

Low-Pressure DTH Hammer Drill Bits



S.B52.110N.140.40.P

S – trademark

shanktype/diameter (B – bayonet connection, 52 – shank diameter)



bodydiameter(110mm,N– body type)

number of inserts(14pcs.)

design(0-9)

angle of inclination of peripheral inserts (30° /35° /40°)


shape of inserts(P - parabolic)



S.CIR90.95N.110.45.P

- S – trademark
- shanktype/diameter
- bodydiameter(95mm, N– body type)
- number of inserts(11pcs.)
- design(0-9)
- angle of inclination of peripheral inserts (30° /35° /40°)
- shape of inserts(P - parabolic)

High-Pressure DTH Hammer Drill Bits



S.COP54.152N.150.40.S

S – trademark

shanktype

bodydiameter(152mm,N – body type)

number of inserts(14pcs.)

design(0-9)

angle of inclination of peripheral inserts (30° /35° /40°)

shape of inserts(P - parabolic)

Thank you for your interest in our company!

*Best regards,
Andrey Vorin,
General Manager*

*+38 050 451 05 05
+38 056 719 92 13
a.vorin@rosler.com.ua*